





**It is easier to get the AIDS virus (HIV) from sharing needles than from unsafe sex.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**The AIDS test is always right.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**More than 1 out of 10 teenagers has the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**When you get an AIDS test, you need to give them your name.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**The AIDS virus (HIV) makes your body weak right away.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**You can only get the AIDS virus (HIV) from someone who is gay.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Most people can live with the AIDS virus (HIV) for 15 years.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). Having unsafe sex with them twice is riskier than having unsafe sex with them once.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Drinking from a glass that someone else drank from an hour ago can give you the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**You can usually tell if a person has the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Most drug users won't share needles if they can get clean needles.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**People with AIDS can be turned down for health insurance.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Almost all babies born to mothers with the AIDS virus (HIV) get full blown AIDS.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person only has unsafe sex once. They have no reason to think they might have the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If a person is drunk, they will be just as likely to use a condom.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Most people who know they have the AIDS virus (HIV) use condoms when they have sex.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure



**Imagine that a person has the AIDS virus (HIV). You will probably get it from shaking their hand.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). If they have money for health care, they won't get full blown AIDS as fast.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person who has a friend with AIDS. They will probably know more about AIDS than other people.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Most people who get an AIDS test can predict what the result will be.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**In one hour, the body can get rid of the alcohol in about two cans of beer.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**As soon as you get the AIDS virus (HIV) in your body, you can give it to someone else right away.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A person can get the AIDS virus (HIV) from a virgin.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Using saran wrap makes going down on a woman safer.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Alcohol kills brain cells.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Getting drunk often will make a person with full blown AIDS sicker.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A person with AIDS can die from a cold.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**There is only one kind of AIDS virus.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). You can get the AIDS virus (HIV) from going down on them (oral sex).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person who knows a lot about AIDS. They will be more likely to try to find out if someone has the AIDS virus (HIV) before having sex with them.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**The first AIDS test that people get looks for antibodies to the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure



**Latex condoms will always keep you from getting the AIDS virus (HIV), if you use them the right way.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**The AIDS virus (HIV) is found in sweat.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person gets sick. They will be more likely to go to the doctor if they have health insurance than someone who doesn't.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**People who are under stress will probably drink more.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Having HIV is the same thing as having AIDS.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person doesn't get the AIDS virus (HIV) the first time they have unsafe sex. They could still get it if they have unsafe sex with someone else.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Getting drunk can change how you think about good and bad effects of having sex.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**One shot of vodka will make you drunker than one beer.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If people know how to protect themselves against AIDS, they will still be just as likely to get it.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Doctors say you don't have to use condoms if you think you don't have the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Drinking coffee makes a drunk person think more clearly.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**In class, you learn mostly bad things about sex, drugs, and alcohol.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**AIDS means Acquired Immune Dysfunction Syndrome.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**There are more people with the AIDS virus (HIV) in the USA than in Europe.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). You will probably get it from tongue kissing with them.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A person can get the AIDS virus (HIV) from having sex with a gay man who doesn't have it.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If you feel healthy, you can be sure that you don't have the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**People with AIDS can be fired from their jobs, even if they can do the work.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A person can get the AIDS virus (HIV) from becoming a blood brother or blood sister.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If a person thinks they have the AIDS virus (HIV), they will be more likely to get tested.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A man can get the AIDS virus (HIV) from having sex with a woman who has it.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person who has the AIDS virus (HIV). If they are already weak, they will get full blown AIDS faster.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**When two men have anal sex, the one getting it in the butt is more likely to get the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If a person is drunk, they worry more about whether their sex partner has the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**You can get the AIDS virus (HIV) from getting your nose pierced with a clean needle.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has been drinking. They will be more likely to have a one night stand.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine someone tells you they don't have the AIDS virus (HIV). Smoking pot will help you tell if they are lying.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**HIV means Human Immune Vaccine.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that you got an AIDS test. If the test says you don't have the AIDS virus (HIV), you will never get it.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine a person who knows they have the AIDS virus (HIV). They will probably have unsafe sex.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**More women than men have the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Less than 30% of wife-abuse cases are related to alcohol or other drugs.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**It is safer to use condoms with nonoxynol-9 than condoms without it.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). Tongue kissing with them is just as risky as having oral sex with them (going down on them).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has an STD, such as gonorrhea or syphilis. They will be more likely to get the AIDS virus (HIV) than a person who doesn't have an STD.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). If you have unsafe sex with them once, you will get the AIDS virus (HIV) for sure.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If you get the AIDS virus (HIV), it will take about 5 to 10 years before you get very sick.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Sharing a drug needle is riskier than getting a tattoo in a tattoo parlor.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine that a person has the AIDS virus (HIV). If they get the AIDS virus again, from another person, it can make them sicker.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**AIDS patients are less likely than healthy people to get well after having a cold.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Almost all people who get full blown AIDS die within 10 years.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Drinking can mess up a person's plans to use a condom.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**People who think they might have the AIDS virus (HIV) will probably try to learn more about AIDS.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Using a condom the right way is safer than using a diaphragm with spermicide.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**A blood test is the only way to check for the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**You can get the AIDS virus (HIV) from smoking crack cocaine.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Blood that is used for transfusions gets tested for the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**You should use Vaseline with a latex condom.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**If you get the AIDS virus (HIV), it will show up in a test right away.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Imagine someone who has sex with only one person. They still need to use a condom to protect themselves against AIDS.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Someone who knows all about AIDS might have unsafe sex anyway.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**It is just as risky to have unsafe sex with a person who has full blown AIDS as with someone who just has the AIDS virus (HIV).**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**There is the same amount of the AIDS virus (HIV) in blood as there is in saliva.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure

**Hot water will clean the AIDS virus (HIV) from drug needles.**

This statement is [ True / False ]

50%	60%	70%	80%	90%	100%
just guessing					absolutely sure